



EXPERIENCE™ SERIES 880 LINE

PRECOR[®]
Fitness Made Personal



Experience™ Series 880 Line

Add another highlight to the club tour – your cardio floor, featuring the Experience Series cardio equipment from Precor. From first glance to deeper inspection, the Experience Series 880 Line makes quite an impression. With a touch screen console just like a high-end phone, and a simple, intuitive interface that draws exercisers deeper into their workout, it's a reliable fitness solution that gets more powerful the longer you own it.

Featuring smooth, flowing, and precise Precor cardio equipment that's already appreciated by exercisers and owners alike, the 880 Line offers up an experience equal to the best interactions outside the club. But make no mistake, with the 880 Line, fitness is foremost. Every feature is designed to keep exercisers moving – and keep them coming back.



P82 Console Specifications	
Display Type	15 in / 38.1 cm LCD Console
Touch Screen	Industrial Capacitive Touch Screen
Machine Controls	Motion Controls
Numeric Keypad	Integrated on Touch Screen
Units Selection	Metric and U.S. Standard
Languages	English, Chinese, Danish, Dutch, Finnish, French, German, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish, Turkish
Preva™ Operating System	•
Personal Viewing System (PVS)	Embedded
Reading Rack	•
Mobile Device Charger	•

KEY: • Standard ○ Optional – Not available



AMT® 885 with Open Stride™ **Adaptive Motion Trainer®**

- Exerciser-defined motion
- Adaptive stride length from 0 - 36 in (0 - 91 cm)
- Adjustable stride height with Open Stride™ from 6.8 - 10 in (17 - 25 cm)
- Total body workout



EFX® 885 with Converging CrossRamp® **Elliptical Fitness Crosstrainer™**

- Converging CrossRamp® is adjustable between 10 and 35 degrees
- Total body workout
- Moving handlebars



EFX® 883 with Converging CrossRamp® **Elliptical Fitness Crosstrainer™**

- Converging CrossRamp® is adjustable between 10 and 35 degrees
- Fixed handlebars
- Lower body workout



TRM 885 **Treadmill**

- Incline range: -3% to 15% incline
- Ground Effects® Impact Control System
- Integrated Footplant Technology™
- Speed: 0.5 - 16 mph (0.8 - 25.5 kph)
- Auto Stop™
- Active Status Light



UBK 885 **Upright Bike**

- Over-molded handlebars
- Ergonomically-designed saddle
- Dual-sided pedals with integrated straps
- Simple single-handed seat adjustment



RBK 885 **Recumbent Bike**


- Step-through design
- Ventilated, suspension-mounted air flex seat back
- Dual-sided pedals with integrated straps
- Simple single-handed seat adjustment

Specifications	AMT® 885 with Open Stride™	EFX® 885 with Converging CrossRamp®	EFX® 883 with Converging CrossRamp®	TRM 885	UBK 885	RBK 885
Console Features						
Stride Dial™	•	-	-	-	-	-
Muscle Monitor™	-	•	•	-	-	-
QuickStart™	•	•	•	•	•	•
Heart Rate Monitoring						
Touch	•	•	•	•	•	•
Telemetry (Chest Strap Required)	•	•	•	•	•	•
Equipment Features						
Adaptable Stride Length	0 - 36 in / 0 - 91 cm	-	-	-	-	-
Adjustable Stride Height (Open Stride™)	6.8 - 10 in / 17 - 25 cm	-	-	-	-	-
CrossRamp® Technology	-	Adjustable & Converging	Adjustable & Converging	-	-	-
Ground Effects® Technology	-	-	-	•	-	-
Integrated Footplant Technology™	-	-	-	•	-	-
Auto Stop™	-	-	-	•	-	-
Decline / Incline	-	10 - 35°	10 - 35°	-3% - 15% (0.5% increments)	-	-
Resistance Levels	20	20	20	-	25	25
Step-up Height	6.5 in / 16.5 cm	8 in / 20 cm	8 in / 20 cm	9.5 in / 24 cm	-	-
Speed	-	-	-	0.5-16 mph / 1-25.5 kph	-	-
Integrated Transport Wheels	•	•	•	•	•	•
Active Status Light	-	•	•	•	-	-
Workouts						
Total Workouts*	12	22	22	27	17	17
Electronic Readouts						
Total Readouts*	20	18	18	20	18	18
Product Dimensions						
Inches (LxWxH)	80 x 35 x 73	80 x 28 x 72	80 x 28 x 72	83 x 35 x 68.5	48 x 21 x 62	67 x 23 x 54
Centimeters (LxWxH)	203 x 89 x 186	203 x 71 x 183	203 x 71 x 183	211 x 89 x 174	122 x 53 x 157	170 x 58 x 136
Product Weight	422 lb / 191 kg	340 lb / 154 kg	340 lb / 154 kg	430 lb / 195 kg	169 lb / 77 kg	219 lb / 99 kg
Power						
Powered	•	•	•	•	•	•
Accessories						
Accessories Holder	•	•	•	•	•	•
Reading Rack	•	•	•	•	•	•
Cable Management	○	○	○	○	○	○
Regulatory Approvals						
FCC, ETL, CE, EN957	•	•	•	•	•	•
Warranty**						
Frame	7 years	7 years	7 years	7 years	7 years	7 years
Parts (Mechanical & Electronic)	2 years	2 years	2 years	2 years	2 years	2 years
Labor	1 year	1 year	1 year	1 year	1 year	1 year

KEY: • Standard ○ Optional - Not available

* Visit www.precor.com for the most recent information on all our products. ** Please consult the Limited Warranty statement.

Color Options



Learn more at: precor.com

© 2018 Precor Incorporated. Precor reserves the right to make any changes without prior notice. Last Revision: February 2018.